### **PCT**

# WORLD INTELLECTUAL PROPERTY ORGANIZATION International Bureau



### INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

INTERMINITION TO BE BUT		ONDER THE PATENT COOPERATION TREATT (FCT)
(51) International Patent Classification <sup>7</sup> :		(11) International Publication Number: WO 00/62737
A61K 7/00	A1	(43) International Publication Date: 26 October 2000 (26.10.00)
(21) International Application Number: PCT/EP9 (22) International Filing Date: 2 December 1999 (0 (30) Priority Data: 60/129,782 16 April 1999 (16.04.99)	02.12.9	Care USA, 40 Merritt Boulevard, Trumbull, CT 06611 (US).
(71) Applicant (for AE AU BB CA CY GB GD GH GM IE I LK LS MN MW NZ SD SG SL SZ TT TZ UG ZA Z UNILEVER PLC [GB/GB]; Unilever House, Bl London EC4P 4BQ (GB).	W only	Patent Department, Colworth House, Sharnbrook, Bedford,
<ul> <li>(71) Applicant (for all designated States except AE AU B. GB GD GH GM IE IL IN KE LC LK LS MN MV SG SL SZ TT TZ UG ZA ZW): UNILEVER NV Weena 455, NL-3013 AL Rotterdam (NL).</li> <li>(71) Applicant (for IN only): HINDUSTAN LEVER I [IN/IN]; Hindustan Lever House, 165/166 Backba mation, Maharashtra, 400 020 Mumbai (IN).</li> </ul>	W NZ S [NL/NI LIMITE	ED       BR, BY, CA, CH, CN, CR, CU, CZ, DE, DK, DM, EE,         ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP,         KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD,         MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD,         SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, UZ,
(54) Thus, COSNICTIC COMPOSITION		Published With international search report.

(54) Title: COSMETIC COMPOSITION

### (57) Abstract

A sensate composition is provided for imparting a long lasting cooling effect on skin. The composition is a combination of menthyl lactate, isopulegol and menthoxypropanediol, the latter providing a cooling enhancing effect. Cosmetic compositions can be prepared incorporating the sensate composition.

### FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
ΑU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav	TM	Turkmenistan
BF	Burkina Faso	GR	Greece		Republic of Macedonia	TR	Turkey
BG	Bulgaria	HU	Hungary	ML	Mali	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MN	Mongolia	UA	Ukraine
BR	Brazil	IL	Israel	MR	Mauritania	UG	Uganda
BY	Belarus	IS	Iceland	MW	Malawi	US	United States of America
CA	Canada	IT	Italy	MX	Mexico	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NE	Niger	VN	Viet Nam
CG	Congo	KE	Kenya	NL	Netherlands	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NO	Norway	zw	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's	NZ	New Zealand		
CM	Cameroon		Republic of Korea	PL	Poland		
CN	China	KR	Republic of Korea	PT	Portugal		
CU	Cuba	KZ	Kazakstan	RO	Romania		
CZ	Czech Republic	LC	Saint Lucia	RU	Russian Federation		
DE	Germany	LI	Liechtenstein	SD	Sudan		
DK	Denmark	LK	Sri Lanka	SE	Sweden		
EE	Estonia	LR	Liberia	SG	Singapore		

- 1 -

### COSMETIC COMPOSITION

#### BACKGROUND OF THE INVENTION

### 5 Field of the Invention

The invention concerns cosmetic compositions formulated with nerve receptor skin stimulating terpene mixtures.

### 10 The Related Art

Somatic sensation enables our bodies to feel, ache and react to temperature changes. The reactions occur when skin sensory receptors throughout the body are stimulated by

15 mechanical, physical or chemical contact. Different receptors are responsible for different stimuli; these are categorized as pain, pressure or temperature changes.

Special pathways exist for face sensations. The trigeminal nerve is located on the right side of the face. It extends

20 beyond the ear, underneath and branches out towards the cheek area. Properly formulated cosmetic compositions can stimulate the receptors to produce very positive pleasant effects.

One of the oldest stimulants is 1-menthol; it imparts a cooling sensation to the skin. Menthol and related terpenes do not really cool through the effect of latent cold.

Actually they heighten the perception of cold in the nerve endings in the skin, so that the surface of skin "feels cold". A problem with menthol is that above certain concentrations it causes burning and itching.

- 2 -

Australian Patent Application 81846/98 describes coolant powders imparting a cool/dry feeling to the skin without any burning sensation or harsh odor. The active system is based upon a combination of one or more actives including menthyl lactate and isopulegol.

New cooling agents are continuously being sought which exhibit improved properties. Attributes of interest are odorlessness, tastelessness, relatively low burning sensation and enhanced cooling effects.

Accordingly, it is an object of the present invention to provide a sensate cocktail which when incorporated into a cosmetic composition will enhance pleasant skin sensations while minimizing unpleasant ones.

Another object of the present invention is to provide cosmetic compositions formulated with improved sensate cocktails allowing the compositions to impart rapid and long lasting pleasant sensations to the skin.

These and other objects of the present invention will become more readily apparent from consideration of the following summary and detailed description.

25

30

5

10

15

20

### SUMMARY OF THE INVENTION

A sensate composition is provided which includes:

- (i) menthyl lactate as a cooling agent;
- (ii) isopulegol as a sensory extender; and
  - (iii) menthoxypropanediol as a cooling enhancer.

- 3 -

#### DETAILED DESCRIPTION OF THE INVENTION

Now it has been discovered that sensory awareness can be stimulated in a highly pleasant manner by a combination of menthyl lactate, isopulegol and menthoxypropanediol. 5 Menthyl lactate operates as a cooling agent, isopulegol interacts therewith as a sensation extender and menthoxypropanediol enhances cooling of the combination. The sensate composition can be applied to a variety of 10 cosmetics. Most particularly they are suitable for skin creams and lotions. However, these sensate compositions will have applicability to dental care (mouthwash, toothpaste, floss), hair care (shampoo, conditioner, styling gels and sprays), shaving products (shaving foam, aftershave lotion), underarm products (antiperspirants and deodorants), 15 personal wash products (toilet bars and body wash liquids), perfume and cologne, lip care products (lipstick and lip balm) all of which are merely illustrative.

Thus, a first necessary component of sensate compositions according to the present invention is that of menthyl lactate. The substance has a molecular weight of 228 and empirical formula of  $C_{13}H_{24}O_3$ . It is available under the trademark Frescolot Type ML from the Haarmann & Reimer Corporation.

A second necessary component of sensate compositions according to the present invention is that of isopulegol, particularly 1-isopulegol. This material has a chemical name of 5-methyl-2-(1-methylethenyl)-cyclohexanol having a

30

- 4 -

molecular weight of 154 and formula of  $C_{10}H_{18}O$ . It is available under the trademark Coolact P from Takasago International Corporation, Rockleigh, New Jersey.

5 A third necessary component of sensate compositions according to the present invention is that of menthoxypropanediol. Chemically this material is identified as 3-[[5-methyl-2-(1-methylethyl)cyclohexyl]oxy]-1,2-propanediol having molecular weight 230 and empirical formula C<sub>13</sub>H<sub>26</sub>O<sub>3</sub>. This substance is available under the trademark Cooling Agent 10 from the Takasako International Corporation.

Amounts of the isopulegol and menthyl lactate may each range from 0.0001 to 2%, preferably from 0.005 to 1%, more preferably from 0.01 to 0.5%, optimally from 0.05 to 0.2% by weight of a cosmetic composition into which the sensate composition is placed. Relative weight ratios of menthyl lactate and isopulegol in the sensate and cosmetic compositions may range from 1,000:1 to 1:100, preferably from 100:1 to 1:20, more preferably from 50:1 to 1:1, optimally from 20:1 to 2:1.

Amounts of menthoxypropanediol may range from 0.0001 to 2%, preferably from 0.005 to 1%, more preferably from 0.01 to 0.5%, optimally from 0.05 to 0.2% by weight of a cosmetic composition into which the sensate composition is placed. On a relative weight basis, the menthyl lactate and isopulegol combination relative to that of menthoxypropanediol may range from 1,000:1 to 1:100,

- 5 -

preferably from 100:1 to 1:20, more preferably from 50:1 to 1:1, optimally from 20:1 to 2:1.

Sensate compositions of the present invention may be

formulated into cosmetic compositions. Sensate and cosmetic compositions will have substantial amounts of a cosmetically acceptable carrier for delivering the sensate composition. The carrier may be present in amounts from 10 to 99.99%, preferably from 50 to 99.9%, optimally from 98 to 99% by

weight. Since most of the experimentation to date has been conducted on skin care products, cosmetically acceptable carriers related to these products will be described below. However, carriers suitable for other types of cosmetics are well known to chemists and the sensate compositions can be appropriately formulated.

By the term "cosmetically acceptable carriers" is meant any one or a combination of substances selected from water, polyols, silicone fluids, esters, hydrocarbons and inorganic powders.

20

25

Polyols suitable for the present invention may include propylene glycol, dipropylene glycol, polypropylene glycol, polypropylene glycol, polyethylene glycol, sorbitol, hydroxypropyl sorbitol, hexylene glycol, 1,3-butylene glycol, 1,2,6-hexanetriol, glycerin, ethoxylated glycerin, propoxylated glycerin, xylitol and mixtures thereof.

Silicone oils may also be included as carriers in the
compositions of this invention. These oils may either be
nonvolatile or volatile. The nonvolatile silicone oils

- 6 -

useful in the compositions of this invention are exemplified by the polyalkyl siloxanes, polyalkylaryl siloxanes and polyether siloxane copolymers. The essentially nonvolatile polyalkyl siloxanes useful herein include, for example, polydimethyl siloxanes with viscosities of from about 5 to 5 about 100,000 centistokes at 25°C. Such polyalkyl siloxanes include the Viscasil series (sold by General Electric Company) and the Dow Corning 200 series (sold by Dow Corning Corporation). Polyalkylaryl siloxanes include poly(methylphenyl)siloxanes having viscosities of from about 10 15 to about 65 centistokes at 25°C. These are available, for example, as SF-1075 methylphenyl fluid (sold by General Electric Company) and 556 Cosmetic Grade Fluid (sold by Dow Corning Corporation). Useful polyether siloxane copolymers 15 include, for example, a polyoxyalkylene ether copolymer having a viscosity of about 1200 to 1500 centistokes at 25°C. Such a fluid is available as SF-1066 organosilicone surfactant (sold by General Electric Company). Cetyl dimethicone copolyol and cetyl dimethicone are especially 20 preferred because these materials also function as emulsifiers and emollients. The former material is available from Goldschmidt AG under the trademark Abil EM-90.

25 Crosslinked siloxane elastomers may also be included as carriers. These substances may normally have an average molecular weight in excess of 10,000, preferably in excess of a million and optimally will range from 10,000 to 20 million. The elastomers may be formed of polyoxyalkylene units or they may be of the "non-emulsifying" variety where these units are absent. These substances are available from

- 7 -

Grant Industries Inc., Dow-Corning Corporation and the General Electric Company. They are known under the CTFA names of Crosslinked Stearyl Methyl-Dimethyl Siloxane Copolymer, Polysilicone-11 and Vinyl Dimethicone/Methicone Cross Polymer.

Nonvolatile siloxanes may also be employed. Illustrative of this category are the cyclo polydimethyl siloxane fluids of the formula ((CH<sub>3</sub>)<sub>2</sub>SiO)<sub>x</sub>, wherein x denotes an integer of from 3 to 6. The cyclic siloxanes will have a boiling point of less than 250°C and a viscosity at 25°C of less than 10 centipoise. Cyclomethicone is the common name of such materials. The tetramer and pentamer cyclomethicones are commercially available as DC 244 and DC 344 from the Dow Corning Corporation.

Esters may also be incorporated into the cosmetic compositions as pharmaceutically acceptable carriers. Among the esters are:

20

25

30

5

(1) Alkyl esters of fatty acids having 10 to 20 carbon atoms. Methyl, isopropyl, and butyl esters of fatty acids are useful herein. Examples include hexyl laurate, isohexyl laurate, isohexyl palmitate, isopropyl palmitate, decyl oleate, isodecyl oleate, hexadecyl stearate, decyl stearate, isopropyl isostearate, diisopropyl adipate, diisohexyl adipate, dihexyldecyl adipate, diisopropyl sebacate, lauryl lactate, myristyl lactate, and cetyl

- 8 -

lactate. Particularly preferred are  $C_{12}$ - $C_{15}$  alcohol benzoate esters.

(2) Alkenyl esters of fatty acids having 10 to 20 carbon atoms. Examples thereof include oleyl myristate, oleyl stearate and oleyl oleate.

5

10

15

20

25

- (3) Ether-esters such as fatty acid esters of ethoxylated fatty alcohols.
- (4) Polyhydric alcohol esters. Ethylene glycol mono and di-fatty acid esters, diethylene glycol mono-and di-fatty acid esters, polyethylene glycol (200-6000) mono- and di-fatty acid esters, polyglycerol poly-fatty esters, ethoxylated glyceryl monostearate, 1,3-butylene glycol monostearate, 1,3-butylene glycol distearate, polyoxyethylene polyol fatty acid ester, sorbitan fatty acid esters, and polyoxyethylene sorbitan fatty acid esters are satisfactory polyhydric alcohol esters.
- (5) Wax esters such as beeswax, spermaceti, myristyl myristate, stearyl stearate.
- (6) sterols esters, of which cholesterol fatty acid esters are examples thereof.

Hydrocarbons may also be useful as pharmaceutically acceptable carriers. Illustrative of this category are

- 9 -

mineral oil, polyalphaolefins, petrolatum isoparaffin, polybutenes and mixtures.

Inorganic powders are useful carriers. Examples include clays (such as Montmorillonite, Hectorite, Laponite and Bentonite), talc, mica, silica, alumina, zeolites, sodium sulfate, sodium bicarbonate, sodium carbonate, calcium sulfate and mixtures thereof.

The carriers may be in liquid, semi-solid (e.g. wax), powder and aerosol forms. Wax systems can be based on silicone chemistry, hydrocarbons and esters. Examples include candellia, ozokerite, behenyl silicones, microcrystalline polyethylene and mixtures thereof.

15

20

25

30

5

Aerosol propellants are normally based on volatile hydrocarbons such as propane, butane, isobutane, pentane, isopropane and mixtures thereof. Phillips Petroleum Company is a source of such propellants under trademarks including A31, A32 and A51. Halocarbons including fluorocarbons and dimethyl ether are further widely employed propellants.

Minor adjunct ingredients may also be included in cosmetic compositions of this invention. These ingredients may be selected from preservatives, fragrances, anti-foam agents, opacifiers, colorants and mixtures thereof, each in their effective amounts to accomplish their respective functions.

The following examples will more fully illustrate the embodiments of this invention. All parts, percentages and proportions referred to herein and in the appended claims

- 10 -

are by weight of the composition unless otherwise illustrated.

### EXAMPLE 1

5

A series of taste tests were performed to evaluate the effect of sensates in a simple cosmetic cream. The base formula is outlined in Table I.

### 10 TABLE I

### Base Formula

COMPONENT	WEIGHT %
Cyclomethicone	36.0
Crosslinked Silicone Elastomer In	24.0
Cyclomethicone (25% Active)	
Propylene Glycol	20.5
Polyethylene Glycol 200	10.5
Dimethyl Isosorbide	2.0
Ascorbic Acid	5.0
Cetyl Dimethicone Copolyol	0.8
Water	Balance

- 11 -

TABLE II

Sensate Components (%) Added to Base Formula

SAMPLE	٤	SENSATE COMPONENT	(WEIGHT %)
	Isopulegol	Menthyl Lactate	Menthoxypropanediol
A	1.0		
В	0.1	0.5	
С	0.3	0.5	
D	0.5	0.5	
E		0.5	0.5
F		0.5	
G		0.75	
Н		1.0	
I		0.1	0.1
J	0.02	0.1	0.08

TABLE III

### Sensation

SAMPLE	SENSATION
A	Very Slight Cooling
В	Cooling
С	Cooling
D	Cooling
E	Cooling
F	Cooling
G	Burning
Н	Burning
I	Cooling
J	Sustained Cooling

10

15

5

Isopulegol as shown in Sample A provided only a very slight cooling effect to the cream base formula. Combinations of Isopulegol with Menthyl Lactate were effective at providing a brief cooling. See Sample D. A burning sensation arose as levels of Menthyl Lactate used alone were increased to

- 12 -

0.75%. See Sample G and H. Sustained cooling was obtained by a combination of Menthyl Lactate, Isopulegol and menthoxypropanediol. See Sample J.

### 5 **EXAMPLE 2**

A clinical test was conducted to evaluate the effect of sensates in the base formula outlined under Table I. The test involved a panel of 50 women (ages 35-65).

Samples were blind coded. One sample was tested in the morning and the other in the evening. Panelists applied the base formula incorporating sensate components to their face and/or neck. Questionnaires were completed at 10 and 30 minutes respectively after application. Identity of the sensate component compositions are found in Table IV and results recorded in Table V.

### TABLE IV

### 20 Sensate Components (%) Added to Base Formula

SENSATE COMPONENT	SAMPLE (WEIGHT %)	
	A	В
Isopulegol		0.02
Menthyl Lactate	0.5	0.1
Menthoxypropanediol	0.1	0.08

- 13 -

TABLE V

	10 Minute	Sensation	30 Minute	Sensation
*	Sample A	Sample B	Sample A	Sample B
% Panel	100%	75%	100%	79%
Experienced	(N=26)	(N=24)	(N=26)	(N=24)
Sensations				
% Pleasant	57%	76%	55%	81%
Sensations				
%	41%	21%	43%	16%
Unpleasant				
Sensations				

Panelists perceived significantly more pleasant sensations and significantly less unpleasant ones with Sample B. Among the pleasant sensations were those of cooling and tingling. Unpleasant sensations included those of burning, stinging and warming. Extremely high levels of tingling and cooling could also be perceived by the panelists as being unpleasant.

The foregoing description and examples illustrate selected embodiments of the present invention.

- 14 -

### CLAIMS

30

- 1. A sensate composition comprising:
- 5 (i) menthyl lactate as a cooling agent;
  - (ii) isopulegol as a sensory extender; and
  - (iii) menthoxypropanediol as a cooling enhancer.
- 2. The composition according to claim 1 wherein each of the cooling agent, sensory extender and cooling enhancer are present in an amount from 0.0001 to 2% by weight of the composition.
- 3. The composition according to claim 2 wherein each of the cooling agent, sensory extender and cooling enhancer are present in an amount from 0.01 to 0.5% by weight of the composition.
- 4. The composition according to any preceding claim
  wherein the cooling agent and sensory extender are
  present in a weight ratio ranging from 1,000:1 to
  1:100.
- 5. The composition according to claim 4 wherein the weight ratio is from 100:1 to 1:20.
  - 6. The composition according to any preceding claim wherein a combination of the cooling agent and sensory extender relative to the cooling enhancer are present in a relative weight ratio of 1000:1 to 1:100.

- 15 -

- 7. The composition according to claim 6 wherein the relative weight ratio is from 50:1 to 1:1.
- 8. A cosmetic composition comprising:

5

10

- (A) a sensate composition comprising:
  - (i) menthyl lactate as a cooling agent;
  - (ii) isopulegol as a sensory extender; and
  - (iii) menthoxypropanediol as a cooling enhancer.
- (B) a cosmetically acceptable carrier for delivering the sensate composition.

### INTERNATIONAL SEARCH REPORT

Int itional Application No PCT/EP 99/09587

A. CLASSI	FICATION OF SUBJECT MATTER		
IPC 7	A61K7/00		
A A			
	o International Patent Classification (IPC) or to both national classifi	cation and IPC	
	SEARCHED  ocumentation searched (classification system followed by classification system followed by classif	Aire County also	
IPC 7	A61K	tion symbols)	
Documenta	tion searched other than minimum documentation to the extent that	such documents are included in the fields sea	arched
Electronic d	lata base consulted during the international search (name of data b	ase and, where practical, search terms used)	
C. DOCUM	ENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the re	elevant passages	Relevant to claim No.
Α	PATENT ABSTRACTS OF JAPAN		
	vol. 1998, no. 14,		
	31 December 1998 (1998-12-31)		
	& JP 10 231238 A (SHISEIDO CO LT	D),	
	2 September 1998 (1998-09-02)		
	abstract		
Α	PATENT ABSTRACTS OF JAPAN		
	vol. 018, no. 307 (C-1211),		
	13 June 1994 (1994-06-13)		
	& JP 06 065023 A (HISAMITSU PHAR	MACEUT CO	
	INC), 8 March 1994 (1994-03-08)		
	abstract		
	ED 0 605 500 A (TAKASASO DEDELIME	DV CO LTD)	
Α	EP 0 695 509 A (TAKASAGO PERFUME 7 February 1996 (1996-02-07)	RY CO LID)	
		-/	
		,	
V Surt	her documents are listed in the continuation of box C.		
	ner documents are issed in the continuation of box C.	X Patent family members are listed in	annex.
° Special ca	stegories of cited documents :	"T" later document published after the intern	national filing date
	ent defining the general state of the art which is not	or priority date and not in conflict with the cited to understand the principle or theo	ne application but
	lered to be of particular relevance document but published on or after the international	invention	, , ,
filing d	date	"X" document of particular relevance; the cla cannot be considered novel or cannot be	imed invention e considered to
which	ent which may throw doubts on priority claim(s) or is cited to establish the publication date of another	involve an inventive step when the docu	ıment is taken alone
citatio	n or other special reason (as specified) ent referring to an oral disclosure, use, exhibition or	"Y" document of particular relevance; the cla cannot be considered to involve an inve	ntive step when the
other i	means	document is combined with one or more ments, such combination being obvious	to a person skilled
	ent published prior to the international filing date but nan the priority date claimed	in the art. "&" document member of the same patent far	mily
Date of the	actual completion of the international search	Date of mailing of the international searce	
		and the state of t	
2	4 February 2000	01/03/2000	
Name and r	nailing address of the ISA		
TVAILE GIVI	European Patent Office, P.B. 5818 Patentlaan 2	Authorized officer	
	NL – 2280 HV Rijswijk Tel. (+31-70) 340-2040, Tx. 31 651 epo ni,		
	Fax: (+31-70) 340-3016	Stienon, P	

## INTERNATIONAL SEARCH REPORT

Intelligence | Intell

		PCI/EP 9	7 0 3 3 0 7
	ation) DOCUMENTS CONSIDERED TO BE RELEVANT		
Category °	Citation of document, with indication, where appropriate, of the relevant passages		Relevant to claim No.
A	WO 99 13734 A (WITKEWITZ DAVID L ;WOLF FRED R (US); HOOK JEFFREY S (US); MCGREW G) 25 March 1999 (1999-03-25)		

# INTERNATIONAL SEARCH REPORT

information on patent family members

Int. :ional Application No PCT/EP 99/09587

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
JP 10231238	Α	02-09-1998	NONE	
JP 06065023	Α	08-03-1994	NONE	
EP 0695509	Α	07-02-1996	JP 8099905 A US 5663460 A	16-04-1996 02-09-1997
WO 9913734	A	25-03-1999	AU 4428197 A AU 5726998 A WO 9913870 A	05-04-1999 05-04-1999 25-03-1999